EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	377838	(connector or (connect$3 adj unit)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 15:20
L2	49	(connector or (connect$3 adj unit)) with ((application or software) near manag$5) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 15:21
L3	3	(connector or (connect$3 adj unit)) with ((application or software) near manag$5) ((information or data or function) with (require$4 near execut$3)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 15:27
L4	0	((application or software) near manag$5) with ((information or data or function) with (requir$5 near execut$3)) with (analyz$5 near (software or application)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 15:41
L5	0	((application or software) near manag$5) with ((information or data or function) with (requir$5 near execut$3)) same (analyz$5 near (software or application)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 15:41
L6	0	((application or software) near manag$5) with ((information or data or function or connector) with (requir$5 near execut$3)) same (analyz$5 near (software or application)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 15:42
L7	0	((application or software) near manag$5) same ((information or data or function or connector) with (requir$5 near execut$3)) same (analyz$5 near (software or application)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 15:42
L8	0	((application or software) near manag$5) and ((information or data or function or connector) with (requir$5 near execut$3)) same (analyz$5 near (software or application)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 15:42
L9	20	((application or software) near manag$5) with (analyz$5 near (software or application)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 15:44
L10	0	((application or software) near manag$5) with (analyz$5 near (software or application)) with (requir$5) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 15:46
L11	5	((application or software) near manag$5) with (analyz$5 near (software or application)) same (requir$5) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 15:46

L12	4	((application or software) near manag$5) same (analyz$5 near (software or application)) ((locat$3 or access$3 or find $3) near2 (function) with (application or software or requir$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 15:56
L13	758	(connector or (connect$3 adj unit)) with ((software or application) near requir$5) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 16:14
L14	0	(determin$5 or choos$3) near2 (connector or (connect$3 adj unit)) with ((software or application) near requir$5) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 16:15
L15	0	((determin$5 or choos$3 or select$3) near2 (connector or (connect$3 adj unit))) with ((software or application) near requir $5) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 16:15
L16	0	((determin$5 or choos$3 or select$3 or obatin$3) near2 (connector or (connect$3 adj unit))) with ((software or application) near requir$5) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 16:19
L17	16	((determin$5 or choos$3 or select$3 or obatin$3) near2 (connect$3 or (connect$3 adj unit))) with ((software or application) near requir$5) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 16:20
L18	0	((determin$5 or choos$3 or select$3 or obatin$3) near2 (connect$3 near provision)) with ((software or application) near requir$5) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 16:27
L19	0	((determin$5 or choos$3 or select$3 or obatin$3) near2 (connect$3)) with ((software or application) near requir$5) (connector near provision) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 16:27
L20	0	((determin$5 or choos$3 or select$3 or obatin$3) near2 (connect$3)) with ((software or application) near requir$5) (connect$3 with provision with server) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 16:34
L21	507	(connect$3 with provision with server) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 16:34
L22	10	(connect$3 near provision near server) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 16:35
L23	1	(connect$3 near provision$3) with (application with execut$3) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:25
L24	0	(connector near provision$3) with (application with execut$3) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:25

L25	1	(connector near server) with (application with execut$3) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:26
L26	0	(connector) with (service near2 provision $3) with (application with execut$3) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:27
L27	23	(connector) with (service) with (application with execut$3) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:27
L28	0	((detect$3 or select$3 or choos$3 or determin$5) near2 (connector)) with (service) with (application with execut$3) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:31
L29	6	((detect$3 or select$3 or choos$3 or determin$5) near2 (connector)) with (application with execut$3) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:31
L30	2	((detect$3 or select$3 or choos$3 or determin$5) near2 (connector)) with (function near requir$5) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:33
L31	3	((detect$3 or select$3 or choos$3 or determin$5) near2 (connector)) with ((application or software) near2 requir$5) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:33
L32	3	((detect$3 or select$3 or choos$3 or determin$5) near2 (connector)) with ((application or software or execution) near2 requir$5) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:35
L33	1116	(connector) with ((application or software or execution) near2 requir$5) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:35
L34	0	(connector) with ((application or software or execution) near2 requirment) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:35
L35	201	(connector) with ((application or software or execution) near2 requirement) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:35
L36	5	(select$3 or choos$3 or determin$5 or detect$3) near2 (connector) with ((application or software or execution) near2 requirement) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:36
L37	23	(select$3 or choos$3 or determin$5 or detect$3 or match$3) near2 (connector) with ((application or software or execution) near2 requirement) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:38
L38	9	(connector with uri) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 17:59

L39	25	(select$3 or choos$3 or determin$5 or detect$3 or match$3) near2 (connector or (resource adj adapter)) with ((application or software or execution) near2 requirement) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 18:01
L40	411	(connector or (resource adj adapter)) with (terminal or mobile or wireless) with (Id or identifier or identification) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 18:31
L41	17	(connector or (resource adj adapter)) with (terminal or mobile or wireless) with (Id or identifier or identification) with application @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 18:32
L42	0	(connector or (resource adj adapter)) with (terminal or mobile or wireless) with (Id or identifier or identification) with compar$5 with application @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 18:46
L43	164	(connector or (resource adj adapter)) with (terminal or mobile or wireless or device) with (location) with hold$3 @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 19:16
L44	11	(connector or (resource adj adapter)) with (terminal or mobile or wireless or device) with (location) near2 hold$3 @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 19:17
L45	5	"6,925,052" @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 19:46
L46	1026	(external with (terminal or mobile or wireless) same (connector or (resource adj adapter))) (internal with (terminal or mobile or wireless) same (connector or (resource adj adapter)))@ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 20:08
L47	655	(external with (terminal or mobile or wireless) with (connector or (resource adj adapter))) (internal with (terminal or mobile or wireless) with (connector or (resource adj adapter)))@ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 20:08
L48	32	(external with (terminal or mobile or wireless) with locat$3 with (connector or (resource adj adapter))) (internal with (terminal or mobile or wireless) with locat$3 with (connector or (resource adj adapter)))@ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 20:09
L49	57	(external with (terminal or mobile or wireless) with (connector or (resource adj adapter)) same locat$3) (internal with (terminal or mobile or wireless) with (connector or (resource adj adapter)) same locat$3) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 20:11
L50	13	(external with (terminal or mobile or wireless) with (connector or (resource adj adapter)) same application) (internal with (terminal or mobile or wireless) with (connector or (resource adj adapter)) same application) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/11 20:19

S1	1	"10558152"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/11 15:04
S2	2732	@ad<"20030528" ((locator or locat$3) with ((obatain$3 or identif$4) near3 (function or application or execut$3)))	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/13 17:32
S3	14875	709/217	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/13 17:33
S4	1025	@ad<"20030528" ((locator or locat$3) with ((obatain$3 or identif$4) near3 (function)))	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/13 17:33
S5	2	@ad<"20030528" ((locator or locat$3) with ((obatain$3 or identif$4) near3 (function)) with connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/13 17:33
S6	3	@ad<"20030528" ((locator or locat$3) with ((obatain$3 or identif$4) near5 (function or execut$3)) with connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/13 17:34
S7	2	@ad<"20030528" ((locator or locat$3) with ((obatain$3 or identif$4 or specify$3) near3 (function)) with connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/13 17:58
S8	76	@ad<"20030528" ((((obatain$3 or identif$4 or specify$3) near3 (function)) with connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/13 17:59
S9	14	@ad<"20030528" ((((obatain$3 or identif$4 or specify$3) near3 (function)) near3 connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/13 17:59
S10	92	@ad<"20030528" (function with conver$4 with application with result)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 11:32
S11	21	@ad<"20030528" (function with (conver$4 near3 result) with application)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 11:32
S12	3	@ad<"20030528" (function with (conver$4 near3 result) adj4 application)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 11:44
S13	259	@ad<"20030528" ((output$4 or display$3) near3 result$3) with (conver$4 near5 function)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 12:38
S14	8	@ad<"20030528" ((output$4 or display$3) near3 result$3) with (conver$4 near5 function) with application	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 12:38

S15	5562	@ad<"20030528" ((output$4 or display$3) near3 result$3) near3 (conver$4)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 12:45
S16	135	@ad<"20030528" ((output$4 or display$3) near3 result$3) near3 (conver$4) ("709"/ $3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 12:45
S17	10	@ad<"20030528" ((output$4 or display$3) near3 result$3) near3 (conver$4) ("709"/ $3) connector	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 12:49
S18	855	@ad<"20030528" (connector near stor$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 15:00
S19	55	@ad<"20030528" (connector near stor$3 with terminal)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 15:01
S20	5	@ad<"20030528" (connector with application with (expir$5 or (expiration near date)))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 16:13
S21	404	@ad<"20030528" (connector) application with (expir$5 or (expiration near date))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 16:15
S22	5	@ad<"20030528" (connector) application with (expir$5 or (expiration near date)) (determin$3 with (application near3 (execution or processing)))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 16:17
S23	5	@ad<"20030528" (connector) application with (expir$5 or (expiration near date) or (valid near3 period)) (determin$3 with (application near3 (execution or processing)))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 16:19
S24	8	@ad<"20030528" (connector) same application with (expir$5 or (expiration near date) or (valid near3 period))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 16:19
S25	407	@ad<"20030528" (connector) application with (expir$5 or (expiration near date) or (valid near3 period))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 16:20
S26	51	@ad<"20030528" (connector) application with ((expiration near date) or (valid near3 period))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 16:20
S27	81	@ad<"20030528" application with (expir$5 or (expiration near date) or (valid near3 period)) (determin$3 with (application near3 (execution or processing)))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 16:26
S28	1	"10543589"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/14 17:42

S29	20	((second or another) adj connector) with (valid$4 or authentic$6)	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:15
S30	7	((second or another) adj connector) with (valid$4 or authentic$6) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:16
S31	0	((second or another) adj connector) same ((impossible or unable) near4 (specif$6 or descri$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:25
S32	7	((second or another) adj connector) ((impossible or unable) near4 (specif$6 or descri$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:25
S33	1	((second or another) adj (connector or unit)) same ((impossible or unable) near4 (specif$6 or descri$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:26
S34	1	((second or another) adj (connector or unit or decision)) same ((impossible or unable) near4 (specif$6 or descri$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:26
S35	5	((second or another) adj (connector or unit or decision or specify$3 or specifi$3)) same ((impossible or unable) near4 (specif$6 or descri$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:27
S36	10	((second or another) adj3 (connector or unit or decision or specify$3 or specifi$3)) same ((impossible or unable) near4 (specif$6 or descri$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:27
S37	442	((second or another) adj3 (connector or unit or decision or specify$3 or specifi$3)) ((impossible or unable) near4 (specif$6 or descri$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:28
S38	620	((second or another) adj3 (connector or unit or determin$3 or decision or specify$3 or specifi$3)) ((impossible or unable) near4 (specif$6 or descri$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:30
S39	11	((second or another) adj3 (connector or unit or determin$3 or decision or specify$3 or specifi$3)) same ((impossible or unable) near4 (specif$6 or descri$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:30
S40	119	((second or another) adj (connector or unit or determin$3 or decision or specify$3 or specifi$3)) ((impossible or unable) near4 (specif$6 or descri$5)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:31
S41	0	((second or another) adj (connector or unit or determin$3 or decision or specify$3 or specifi$3)) ((impossible or unable) near4 (specif$6 or descri$5) near2 (function or application)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:31

S42	8	((second or another) adj3 (connector or unit or determin$3 or decision or specify$3 or specifi$3)) ((impossible or unable) near4 (specif$6 or descri$5) near2 (function or application)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:32
S43	1	2004/0015596 @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:54
S44	2	"20040015596" @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 09:54
S45	0	"20040015596" (select$3 near3 connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 10:12
S46	0	"20040015596" (choos$3 near3 connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 10:12
S47	0	(television and phone) (choos$3 near3 connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 10:27
S48	85	(television and phone) (application with connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 10:27
S49	15	(television and phone) (application near3 connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 10:27
S50	0	(television and phone) same (application near3 connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 10:36
S51	6	(television and (mobile phone)) (application near3 connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/16 10:36
S52	6293	709/218 @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/24 13:08
S53	255	439/4	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/04/24 13:11
S54	13672	709/219	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/04/24 13:28

S55	13811	(obtain$3 or determin$3 or select$3) with (connector) with (mobile or wireless or device or terminal or unit)	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 08:25
S56	6855	(obtain$3 or determin$3 or select$3) with (connector) with (mobile or wireless or device or terminal or unit) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 08:25
S57	19	(analyz$3 or determin$3 or specify$3 or prob$3 or choos$3 or select$3) with (connector) with (application near2 (execut$3))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 08:27
S58	5	S56 S57	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 08:28
S59	9	(analyz$3 or determin$3 or specify$3 or prob$3 or choos$3 or select$3) near3 (connector) with (application near2 (execut$3))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 08:38
S60	27	(analyz$3 or determin$3 or specify$3 or prob$3 or choos$3 or select$3) near3 (connector) with ((application or software) near2 (execut$3 or function))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 08:40
S61	5	S56 S60	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 08:40
S62	27	(analyz$3 or determin$3 or specify$3 or prob$3 or choos$3 or select$3) near3 (connector) with ((application or software) near2 (execut$3 or function))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 10:05
S63	6855	(obtain$3 or determin$3 or select$3) with (connector) with (mobile or wireless or device or terminal or unit) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 10:37
S64	5	S62 S63	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 10:37
S65	27	(analyz$3 or determin$3 or specify$3 or prob$3 or choos$3 or select$3) near (connector) same ((application or software) near2 (execut$3 or function))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 10:43
S66	11	(analyz$3 or determin$3 or specify$3 or prob$3 or choos$3 or select$3) near (connector) same ((application or software) near2 (execut$3 or function)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 10:43
S67	3	(analyz$3 or determin$3 or specify$3 or prob$3 or choos$3 or select$3) near (connector) same ((application or software) near2 (execut$3)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 10:47

S68	4	(analyz$3 or determin$3 or specify$3 or prob$3 or choos$3 or select$3) near (connector) with((application or software) near2 (execut$3 or process$3 or function or indicat$3)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 10:50
S69	31	(analyz$3 or determin$3 or specify$3 or prob$3 or choos$3 or select$3) near (connector) same ((application or software) near2 (execut$3 or process$3 or function or indicat$3)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 10:50
S70	11	((analyz$5 or distinguish$3 or determin$3 or specify$3 or specification) near2 application) with ((choos$3 or select$3 or determin$3) near2 connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 11:08
S71	58	(application near execut$3) with connector @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 12:10
S72	386646	(connector or application) with (mobile or wireless or device or terminal or unit) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 12:11
S73	43	S71 S72	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 12:11
S74	34917	(connector or application) with (mobile or wireless) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 12:11
S75	14	S71 S74	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 12:11
S76	227184	(connector or application) with locat$3	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 12:13
S77	36	ll4 S76	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 12:14
S78	112427	(connector or application) with locat$3 @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 12:14
S79	2	ll4 S78	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 12:14
S80	1	"20040193893"	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 14:03

S81	1550	439/353	US-PGPUB; USPAT; USOCR; FPRS	AND	OFF	2009/11/13 14:14
S82	0	@ad<"20030528" (application with connector) (connector near2 manag$3) (external with location with service) (internal with location with service)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 14:50
S83	0	@ad<"20030528" (application with connector) (connector near2 manag$3) (external with location) (internal with location with service)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 14:50
S84	2	@ad<"20030528" (application with connector) (connector near2 manag$3) (external with location) (internal with location)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 14:50
S85	2	@ad<"20030528" (application with connector) (connector near2 manag$5) (external with location) (internal with location)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 14:50
S86	4	@ad<"20030528" (application with connector) (connector with manag$5) (external with location) (internal with location)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 14:51
S87	3	@ad<"20030528" (application with connector) (connector with manag$5) (external with location) (manag$5 near2 connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2009/11/13 14:52
S88	2	"20020120679"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/08 14:49
S89	0	(connector near3 (obtain$3 or gather$3 or fetch$3 or retriev$3) with analyz$5 with (application near execut$3)) same (access $3 with locat$3 with connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/09 12:51
S90	1	(connector near3 (obtain$3 or gather$3 or fetch$3 or retriev$3) with analyz$5 with (application near execut$3)) (access$3 with locat$3 with connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/09 13:01
S91	1	(connector near3 (obtain$3 or gather$3 or fetch$3 or retriev$3) with analyz$5 with (application near execut$3))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/09 13:03
S92	1	(connector near3 (obtain$3 or gather$3 or fetch$3 or retriev$3) with analyz$5 with (application))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/09 13:05
S93	12	(connector near3 (obtain$3 or determin$3 or gather$3 or fetch$3 or retriev$3) with (analyz$5 or analysis) with (application))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/09 13:06
S94	1	(connector near3 (obtain$3 or determin$3 or gather$3 or fetch$3 or retriev$3) with (analyz$5 or analysis) near2 (application))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/09 13:08

S95	1	(connector near3 (obtain$3 or determin$3 or gather$3 or fetch$3 or retriev$3) with (analyz$5 or analysis) near3 (application))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/09 13:08
S96	15	(connector near3 (obtain$3 or determin$3 or gather$3 or fetch$3 or retriev$3) same (analyz$5 or analysis or execut$3) near3 (application))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/09 13:13
S97	1242	(wireless or terminal or phone) with ((select$3 or determin$3 or choos$3) near2 connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 09:46
S98	19836	(access$3 or locat$3) with ((function or application) near2 execut$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 09:48
S99	2	S97 S98	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 09:48
S100	666	(wireless or terminal or phone) with ((select$3 or determin$3 or choos$3) adj2 connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 09:49
S101	14869	(access$3 or locat$3) with ((application) near2 execut$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 09:49
S102	1	S100 S101	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 09:49
S103	193656	(access$3 or locat$3) with (execut$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 09:50
S104	16	S100 S103	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 09:50
S105	11763	(wireless or terminal or phone) with ((select$3 or determin$3 or choos$3) adj2 (connect$3 or (connect$3 adj unit)))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 09:56
S106	97	(wireless or terminal or phone) with ((select$3 or determin$3 or choos$3) adj2 (connect$3 or (connect$3 adj unit))) same ((application or program) with execut$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 09:58
S107	15	(wireless or terminal or phone) with ((select$3 or determin$3 or choos$3) adj2 (connect$3 or (connect$3 adj unit))) same ((application or program) with execut$3 with function)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 09:58

S108	5	(wireless or terminal or phone) with ((select $3 or determin$3 or choos$3) adj2 (connect$3 or (connect$3 adj unit))) same ((application or program) with execut$3 with requir$5)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 10:00
S109	14	(wireless or terminal or phone) with ((select $3 or determin$3 or choos$3) adj2 (connect$3 or (connect$3 adj unit))) same ((application or program) with execut$3 with (access$3 or locat$3))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 10:06
S110	0	(application near3 manag$5) with (analyz $5 near3 (application or program)) with ((determin$5 or select$3 or choos$3 or obtain$3) adj2 (connector or (connection adj unit))) with (access$3 or locat$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 10:19
S111	0	(application near3 manag$5) with (analyz $5 near3 (application or program)) with ((determin$5 or select$3 or choos$3 or obtain$3) adj2 (connect$3 or (connection adj unit))) with (access$3 or locat$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 10:20
S112	0	(application near3 manag$5) with (analyz $5 near3 (application or program)) same ((determin$5 or select$3 or choos$3 or obtain$3) adj2 (connect$3 or (connection adj unit))) with (access$3 or locat$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 10:24
S113	0	(application near3 manag$5) with ((analyz $5 or analysis) near3 (application or program)) same ((determin$5 or select$3 or choos$3 or obtain$3) adj2 (connect$3 or (connection adj unit))) with (access$3 or locat$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 10:24
S114	1	(application near3 manag$5) with ((analyz $5 or analysis) near3 (application or program)) with (connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 10:25
S115	690629	(connector)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 10:26
S116	190	(application near3 manag$5) with connector	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 10:26
S117	3	(application near3 manag$5) with (determin$5 or select$3 or choos$3) near3 connector	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 10:27
S118	194	(connector or (connect$3 adj unit)) same ((application or software or program) near2 (analyz$5 or analysis)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 20:59
S119	1828	(locat$3 with access) same (connector or (connect$3 adj unit)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:00

S120	5	S118 S119	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:00
S121	376	(mobile or wireless or terminal) with input $4 with (application with execut$3) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:03
S122	20	(mobile or wireless or terminal) with (user adj input$4) with (application near execut $3) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:04
S123	1	(mobile or wireless or terminal) with (input $4) with (connector) with (application near execut$3) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:07
S124	1	(mobile or wireless or terminal) with (input $4) with (application near execut$3) same connector @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:09
S125	10	(mobile or wireless or terminal) with (application near execut$3) with (connector or (connect$3 adj unit)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:12
S126	2	(function with (access near2 location) with (connector or (connect$3 adj unit)))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:27
S127	1	(require$4 near (data or function or method)) with ((application or software) near execut$3) with (connector or (connect $3 adj unit))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:30
S128	624	(require$4 near (data or function or method)) with ((application or software) near execut$3) (access or locat$3)	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:31
S129	2	(require$4 near (data or function or method)) with ((application or software) near execut$3) same (connector or (connect$3 adj unit))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:31
S130	295	(access$3 with locat$3 with (function or method)) same (connector or (connect$3 adj unit))	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:32
S131	133	(access$3 with locat$3 with (function or method)) same (connector or (connect$3 adj unit)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:35
S132	63	(access$3 with locat$3 with (function or method)) same (connector or (connect$3 adj unit)) (mobile or wireless or terminal) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:36
S133	18	(access$3 with locat$3 with (function or method)) same (connector or (connect$3 adj unit)) same(mobile or wireless or terminal) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:36

S134	2	(access$3 with locat$3 with (function or method)) same (application near (description or describ$3)) (mobile or wireless or terminal) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:46
S135	10	(access$3 with locat$3 with (application near (description or describ$3))) (mobile or wireless or terminal) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:48
S136	12	(access$3 with locat$3 with (application near (description or describ$3))) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:53
S137	104	((locat$3 or access$3) with (function or method) with (application near (description or describ$3))) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:54
S138	52	((locat$3 or access$3) with (function or method) with (application near (description or describ$3))) (mobile or wireless or terminal) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:54
S139	104	((locat$3 or access$3) with (function or method) with (application near (description or describ$3))) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 21:59
S140	87	((locat$3 or access$3) with (required near (function or method)) with (application)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 22:00
S141	4	((locat$3 or access$3) with (required near (function or method)) with (application or software) near execut$3) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 22:03
S142	0	((locat$3 or access$3) near2 (required near (function or method)) same (application or software) near execut$3) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 22:04
S143	66	((locat$3 or access$3) near2 (required near (function or method)) same (application or software or connector)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 22:04
S144	157	((locat$3 near2 access$3) near2 ((function or method)) same (application or software or connector))@ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 22:13
S145	4287	((locat$3 or access$3) near ((function)) same (application or software or connector))@ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 22:19
S146	8	((locat$3 or access$3) near ((function)) same (application with connector)) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 22:19
S147	0	(uri with locat$3 with connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 22:41

S148	0	(uri with (locat$3 or access$3) with connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 22:42
S149	0	(uri same (locat$3 or access$3) with connector) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 22:42
S150	43	(mobile or wireless or terminal) with (conver$3) with (application with execut$3) @ad<"20030528"	US-PGPUB; USPAT; USOCR; FPRS	AND	ON	2010/03/10 22:52

3/11/2010 8:48:45 PM
C:\ Documents and Settings\ rscott\ My Documents\ EAST\ Workspaces\ 10558152.wsp